



**CENTRE FOR DEVELOPMENT OF IMAGING TECHNOLOGY (C-DIT)**

Chithranjali Hills, Thiruvallom,  
Thiruvananthapuram-27 Phone: 0471-  
2380910, 912

No. **C-DIT/02/WSD-PRNTR/2025-26/T775**

Date: **02.02.2026**

**TENDER NOTICE**

**SUPPLY OF PRINTERS (6 Nos)**

Limited tenders are invited for the **Supply of Printers -6 Nos** for Web Service Division, C-DIT City Office, Statue, Thiruvananthapuram. The envelopes containing the tender should bear the superscription ***“Tender for the Supply of Printers”*** and should be addressed to The Registrar, Centre for Development of Imaging Technology (C-DIT), Chitranjali Hills, Thiruvallam, Thiruvananthapuram 695027. Intending tenderers may submit the tenders on their own papers by post/hand along with a duly signed copy of this tender notification or confirmation of the terms and conditions. Last date for receipt of tender offers is **07.02.2026, 3.00 PM**. Late tenders will not be accepted. The tenders will be opened at **3.10 PM on the same day in** C-DIT office in the presence of the tenderers or their authorized representatives who choose to be present at that time.

Thiruvananthapuram  
02.02.2026

Sd/-  
REGISTRAR

***Note: Offers/quotations can also be sent to via return mail to [procurement@cdit.org](mailto:procurement@cdit.org)***

**SPECIFICATIONS****No. of Printers Required – 6 Nos.****MODEL: “TVS LP 6LITE”**

<b>Parameters</b>	<b>Specification</b>
Resolution	8 dots/mm 203 DPI
Printing Method	Thermal Transfer & Direct Thermal
Print Speed	Max. 152.4 mm 6”/second
Print width	Max. 108 mm 4.25“
Print Length	Max. 2,794 mm 110“
Physical Dimension	204 mm W x 164 mm H x 280 mm D
Weight	2.4 kg 5.29 lbs
Lable roll capacity	127 mm 5“ OD
Ribbon	300 m long, max. OD 67 mm, 1” core ink coated outside
Ribbon Width	40 mm to 110 mm 1.6” ~ 4.3”
Processor	32bit RISC CPU
Memory	8 MB Flash memory, 16 MB SDRAM
Interface	USB 2.0
Power	Input: AC 100240V, 2.5A, 5060Hz, Output: DC 24V, 2.5A, 60W
Sensors	Transmissive gap sensor, Black mark reflective sensor position adjustable
Barcode	1D bar code Code 128UCC, Code 128 subsets A, B, C, EAN128, Interleaved 2 of 5, Interleaved 2 of 5 with check digit, Code 39, Code 39 with check digit, Code 93, EAN13, EAN8, UPCA,

	UPCE, EAN and UPC 2 5 digits addon, Codabar, Postnet, MSI, MSI with check digit, PLESSEY, China post, ITF14, Code 11, TELEPEN, TELEPENN, PLANET, Code49, Deutsche Post Identcode, Deutsche Post Leitcode, LOGMARS  2D bar code  GS1 DataBar, GS1 DataMatrix, Maxicode, AZTEC, PDF417, QR Code, Micro PDF 417
Printer Language	TSPLEZTM Compatible to EPL, ZPL, ZPL II
Media type	Continuous, diecut, black mark, fanfold, notched outside wound
Media Width	20 ~ 112 mm 0.8" ~ 4.4"
Media Thickness	0.06 ~ 0.19 mm 2.36 ~ 7.48 mil
Media Core Diameter	25.4 ~ 38 mm 1" ~ 1.5"
Label length	5 ~ 2,794 mm 0.2" ~ 110"
Environment Condition	Operation: 5°C ~ 40°C, 25 ~ 85% noncondensing, Storage: ~40°C ~60°C, 10 ~ 90% noncondensing

**OTHER TERM & CONDITIONS:**

1. **Bidder should quote the product strictly as per the tender specification and the specified brand. Otherwise, the bid will not be considered.**
2. Supply and installation: within 7 days on receipt of firm order at Web Service Division C-DIT City Office Statue Thiruvananthapuram Contact No Shri Biju SB DD (WSD) Mob: 9895076082.
3. The rate quoted should be Inclusive of all taxes and supply at site. The bidders will be responsible for effecting supply to the entire satisfaction of the undersigned or his authorized representatives.

4. **Bidder shall invariably be accompanied by manufacturer's catalogues and leaflets giving full specifications. Technical particulars and other details of the items offered, 'brand make' and complete specification should be mentioned in the tender. In the absence of full details and technical specification the tenders for the items will be rejected.**
5. Rate quoted by the bidder shall be valid for a period of six months from the date of opening of the tender.
6. **Bidder should submit the rate (including GST) in their own letter head with make and model.**
7. Statutory taxes to be deducted at source, if any, will be deducted from the payment due.
8. **The bidder should have a valid GST and PAN registration (Proof Should be submitted).**
9. CDIT reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract without assigning any reason whatsoever and without thereby incurring any liability to the affected bidder or bidders on the ground of purchaser action.
10. Delivery should be arranged within Seven days after the receipt of the purchase order.
11. Initially the supply order will be for one printer and after the quality/performance evaluation of the supplied printer additional supply order will be issued for three more quantity.
12. CDIT is not bound to assign any reason for rejecting any or all the tenders. It also reserves the right to accept/reject (part/whole) or any other tender(s) at their sole discretion without assigning any reason thereof. Its decision in the matter shall be final and binding.

13. **Authority:** The authority for the acceptance of the tender's rests exclusively with the C-DIT.
14. Statutory taxes to be deducted at source, if any, will be deducted from the payment due.
15. **Payment terms:** 100% Payment against the supply and submission of actual invoice.
16. If the bidder has any doubt in the above specifications, please Contact Shri Biju SB DD (WSD) Mob: 9895076082.
17. **The last date for submission of tender 07.02.2026, 3.00 PM. The tender will be opened on the same day at 3.10 PM**
18. **Our GSTIN is 32AAATC1823F1ZF**

Sd/  
REGISTRAR, C-DIT  
Dated 02.02.2026.



**CENTRE FOR DEVELOPMENT OF IMAGING TECHNOLOGY (C-DIT)**

Chitranjali Hills, Thiruvallam, Thiruvananthapuram-27

Phone: 0471-2380910, 912

**No. C-DIT/02/WSD-PRNTR/2025-26/T775**

**Date: 02.02.2026**

**COMPLIANCE STATEMENT**

Compliance statement of technical specification required for the items listed below. Technical compliance of every item should be marked, and in case of any deviation, it shall be entered in the Remarks column. The bidder must furnish the make and model of the product quoted without fail.

<b>Sl No</b>	<b>Parameters</b>	<b>Specification</b>	<b>Compliance if any (Yes)</b>	<b>No</b>
1	Make/ Model			
2	Resolution	8 dots/mm 203 DPI		
3	Printing Method	Thermal Transfer & Direct Thermal		
4	Print Speed	Max. 152.4 mm 6"/second		
5	Print width	Max. 108 mm 4.25"		
6	Print Length	Max. 2,794 mm 110"		
7	Physical Dimension	204 mm W x 164 mm H x 280 mm D		
8	Weight	2.4 kg 5.29 lbs		
9	Lable roll capacity	127 mm 5" OD		
10	Ribbon	300 m long, max. OD 67 mm, 1" core ink coated outside		
11	Ribbon Width	40 mm to 110 mm 1.6" ~ 4.3"		
12	Processor	32bit RISC CPU		
13	Memory	8 MB Flash memory, 16 MB SDRAM		

14	Interface	USB 2.0		
15	Power	Input: AC 100240V, 2.5A, 5060Hz, Output: DC 24V, 2.5A, 60W		
16	Sensors	Transmissive gap sensor, Black mark reflective sensor position adjustable		
17	Barcode	1D bar code Code 128UCC, Code 128 subsets A, B, C, EAN128, Interleaved 2 of 5, Interleaved 2 of 5 with check digit, Code 39, Code 39 with check digit, Code 93, EAN13, EAN8, UPCA, UPCE, EAN and UPC 2 5 digits addon, Codabar, Postnet, MSI, MSI with check digit, PLESSEY, China post, ITF14, Code 11, TELEPEN, TELEPENN, PLANET, Code49, Deutsche Post Identcode, Deutsche Post Leitcode, LOGMARS  2D bar code GS1 DataBar, GS1 DataMatrix, Maxicode, AZTEC, PDF417, QR Code, Micro PDF 417		
18	Printer Language	TSPLEZTM Compatible to EPL, ZPL, ZPL II		
19	Media type	Continuous, diecut, black mark, fanfold, notched outside wound		
20	Media Width	20 ~ 112 mm 0.8" ~ 4.4"		
21	Media Thickness	0.06 ~ 0.19 mm 2.36 ~ 7.48 mil		
	Media Core Diameter	25.4 ~ 38 mm 1" ~ 1.5"		
22	Label length	5 ~ 2,794 mm 0.2" ~ 110"		

23	Environment Condition	Operation: 5°C ~ 40°C, 25 ~ 85% noncondensing, Storage: ~40°C ~60°C, 10 ~ 90% noncondensing		
----	--------------------------	--	--	--

**Name of the Bidder:**

**Address:**

**Contact Number:**

**e-mail id:**

**Signature of Bidder**

**Date:**